

Indonesian Journal of Computer Science

ISSN 2549-7286 (*online*) Jln. Khatib Sulaiman Dalam No. 1, Padang, Indonesia Website: ijcs.stmikindonesia.ac.id | E-mail: ijcs@stmikindonesia.ac.id

Fake News in Social Network: A Comprehensive Review

Mohammed Rasheed Omar¹, Adnan Mohsin Abdulazeez²

Mohammed.omar@dpu.edu.krd, Adnan.mohsin@dpu.edu.krd ¹ITM Dept., Duhok Technical College, Duhok Polytechnic University, Iraq ²IT Dept., Duhok Technical College, Duhok Polytechnic University, Iraq

Article Information

Abstract

Submitted : 24 Apr 2024 Reviewed : 21 May 2024 Accepted : 15 Jun 2024

Keywords

Fake News, Fake News Detection, Machine Learning, Deep Learning. Fake news has become a significant challenge in the digital age, evolving from its historical roots in traditional media to becoming a pervasive issue on social media platforms. This paper presents a comprehensive review of the scope and mechanisms of fake news propagation in the digital era, focusing specifically on social media. It examines the historical development of fake news and assesses the effectiveness of current detection methods. Various aspects of fake news, including its spread and the associated challenges, are explored through a detailed methodological approach that integrates both technological and sociological strategies. The goal is to enhance the accuracy of detection methods and mitigate the impact of fake news. This review aims to synthesize existing paper, identify gaps in the current knowledge, and recommend directions for future paper, ultimately seeking to protect public discourse and maintain the integrity of information in the digital landscape.

A. Introduction

Fake news, although not a novel phenomenon, has historical roots that trace back before Christ (BC) and began spreading as early as 1439 [1]. Its presence has evolved from traditional media outlets like newspapers and television to dominate the digital landscape, especially with the advent of the World Wide Web (WWW) in the mid-1990s. Social media platforms, due to their accessibility, rapid dissemination capabilities, and low operational costs, have become the primary arenas for fake news proliferation [2]. Defined as "altered truths" to serve hidden motives [3], fake news gained significant attention during the 2016 U.S. presidential election, evidenced by the creation of 19 million bot profiles aimed at influencing public opinion regarding the candidates [4]. This period also saw traditional media being overshadowed in engagement metrics on social media platforms, highlighting the shift in how information is consumed.

The situation is exacerbated by instances like those in Veles, Macedonia, where individuals created and profited from fake news through pay-per-click schemes during the U.S. elections. The prevalence of fake news is not only a political concern but also poses psychological risks, creating stress and fear among the public. Misinformation often garners more attention than factual reporting on social media, a trend that complicates the challenge of discerning truth in the digital age [5]. Despite the development of online fact-checking services like FactCheck.org and PolitiFact.com, the detection of fake news is hampered by the sheer volume and variety of content, making manual verification by experts a daunting and often ineffective task[6]. As such, the dynamics of fake news in social networks demand a multifaceted approach to understanding and mitigating its impact, necessitating continual advancements in both technological solutions and public awareness strategies.

The purpose of this review is to critically examine the phenomenon of fake news on social media platforms, identify the mechanisms through which it spreads, and evaluate the effectiveness of existing detection and mitigation strategies. This review aims to synthesize current paper findings, highlight gaps in knowledge, and suggest directions for future paper. Additionally, it seeks to provide insights into the technological and sociological challenges associated with combating fake news, with the ultimate goal of contributing to the development of more robust tools and methods that can enhance the accuracy and efficiency of fake news detection. This is crucial for ensuring the credibility of information, protecting public discourse, and maintaining the integrity of democratic processes in the digital age.

The structure of this paper is organized as follows: Section 2 introduces the Need, Motivation, Challenges, and types of information on social networks. Section 3 introduces the concept and evolution of fake news. Section 4 categorizes types of fake news, emphasizing their impact on social media. Section 5 elaborates on the detection methodologies, with a focus on machine learning algorithms. Section 6 discusses the characteristics of fake news content. Section 7 reviews various detection models, highlighting the use of computational methods. Section 8 analyzes the effectiveness of these models based on existing studies. Section 9 identifies current limitations and suggests areas for future papers. Finally, Section 10 concludes the paper by summarizing key findings and the importance of advancing fake news detection.

B. Need and Motivation

Addressing the proliferation of fake news across online platforms is increasingly critical due to its far-reaching consequences. The spread of false information not only sows confusion among users through rumors, identity theft, and fake profiles but also challenges the very foundation of trust in the digital news ecosystem. Such deceptive practices can tarnish the reputations of individuals and organizations, instill public fear, and ultimately threaten societal stability. The complexity of identifying fake news lies in its sophisticated presentation: the language and style often mimic legitimate news, making it difficult to distinguish it from genuine articles. This deliberate design to foster trust among readers makes the detection of fake news both a necessity and a challenge. Effective strategies to identify and mitigate fake news are essential to preserve the integrity of information and maintain public confidence in media platforms.

1. Challenges

One of the most significant hurdles in the detection of fake news is the ability to ascertain the veracity of information, which fundamentally hinges on distinguishing whether details are grounded in factual events. Facts represent incidents that have occurred, at specific times and places, involving entities or individuals. The challenge intensifies as we consider the role of automated systems in the dissemination of information. Given the vast array of content generated on social media—much of which purports to describe real events—it is not feasible for computers to effortlessly assess the importance or truthfulness of all information, especially when they control the dissemination process across varied channels and timelines. Therefore, it is crucial to integrate established journalistic standards into the core of these systems to enhance their ability to discern and verify facts, thereby enabling more effective identification of fake news. This integration is essential for maintaining the reliability and integrity of information shared on social media platforms.

2. Types of Information on Social Networks

Social media data is typically categorized into four principal types, which constitute the essential components of online information. Figure 1 outlines these information categories that facilitate communication between users on online social networks. The categories include hyperlinks, images, audio, and textual information, each serving as a mode of transferring content in the digital social landscape.

• **Text:** Textual content is a derivative of spoken language, primarily produced in the form of strings or characters for content analysis. It is a key medium for human communication, with its structure governed by syntax. Linguistic analysis plays a crucial role in examining text-based news on social networks.

- **Multimedia:** True to its name, multimedia encompasses a combination of different content forms, including visual, auditory, and graphic elements. Its engaging nature is particularly effective in capturing immediate user attention.
- **Hyperlinks or Embedded Content:** Links serve as connective tissue, weaving together various sources that reinforce the content's credibility and bolster reader trust. They are essential in social media platforms, often used to reference or cite supportive materials, such as tweets, Facebook updates, YouTube videos, and Instagram posts.
- **Audio:** The dissemination of news via audio on social media platforms is yet another effective method of communication. Audio content has a unique appeal, often engaging listeners more deeply than other formats.



Figure 1. Types of information on online social networks

C. Attributes of Fake News

The phenomenon of fake news on the internet is not only prevalent but also growing in complexity across topics, methods, and dissemination channels [7]. Defining "fake news" presents a challenge due to the lack of a universally accepted description. Stanford University characterizes fake news as "information pieces that appear to be purposefully and verifiably false, designed to mislead viewers" (Stanford University, 2017). Another perspective offered by [8] refers to Wikipedia's definition, which describes fake news as akin to "yellow journalism or misinformation consisting of intentionally disseminated disinformation or hoaxes spread via traditional print, broadcast media, and online channels, particularly on social media."

The spread of fraudulent articles through social media is increasing, highlighting the need for a nuanced understanding of fake news. This paper article aims to provide a comprehensive examination of fake news, particularly as it proliferates across online social networks. By exploring various types of online misinformation, including customer reviews and deceptive advertisements, this study seeks to maintain specificity without overlooking the broader context of digital misinformation.

1. News Content of Fake News

Fake news is disseminated through various forms of news content, which can broadly be classified into two categories: tangible and intangible. This distinction helps in understanding the mediums through which misinformation is spread and the nature of the content itself. Tangible news content refers to fake news that is presented through physical mediums, such as printed newspapers and magazines, which can still play a role in the distribution of misleading information. On the other hand, intangible news content involves digital or electronic formats, such as online articles, social media posts, and digital broadcasts. Figure 2 our report illustrates these categories, providing a clear visualization of the types of news content and their specific characteristics, thus enhancing our understanding of how fake news permeates different media channels. This classification aids in identifying the vectors of misinformation and tailoring detection mechanisms appropriately.

• **Physical News Content:** [9] highlight the shifting landscape of information dissemination, noting that social networks have surged in popularity, effectively making online social data from platforms like Twitter and Facebook the primary means for transmitting information. This transition underscores the diminishing role of traditional, physical news content in favor of digital interactions, which are not only more prevalent but also offer rapid insights into emerging trends. According to [10], these online social communications are pivotal in identifying trending topics due to their immediacy and broad reach.

In the context of identifying fake news, the physical elements of digital content play a crucial role. These include URLs, keywords, hashtags, emoticons, images, and multimedia components integrated within social media posts. Each of these elements carries unique definitions and capabilities that are essential for the detection of fake news. For instance, a misleading URL might disguise the true nature of a hyperlinked site, or a strategically placed emoticon could alter the perceived tone of a message. Recognizing these components within the digital sphere is vital for understanding and combating the spread of misinformation.

• Non-Physical News Content: [9] differentiate between the physical elements of news, which serve as the carriers of information, and the non-physical elements, which encompass the newsmakers' thoughts, feelings, dispositions, and emotions. In our framework, fake news is often characterized not just by the content itself but by the underlying intent and emotional manipulation it seeks to exert. This non-physical content can manifest in various forms, such as fraudulent comments, deceptive advertisements, and misleading political news.

Every day, thousands of comments are posted on e-commerce platforms like eBay and Amazon, where the authenticity and quality of these comments pose significant challenges for consumers and corporations alike. Fake comments can influence consumer decisions and tarnish the reputation of businesses. Similarly, counterfeit advertisements are deliberately designed to mislead consumers by promoting brands with inaccurate or unverified information, posing risks to the credibility of online marketplaces.

The realm of political information is especially vulnerable, where the stakes are particularly high in the current climate. Non-physical content in fake news typically includes the conveyed principles, emotions, and perspectives intended to sway public opinion or polarize debates. [11] note that authors may intentionally imbue their narratives with positive or negative emotions throughout the article to enhance the perceived legitimacy of their information. This emotional polarization is a significant aspect of nonphysical content, strategically used to manipulate the audience's perception and reactions. The pervasive spread of such emotionally charged, misleading information highlights the crucial role fake news plays in shaping public discourse and the pressing need to address its impact effectively.



Figure 2. Categorization of Fake News by Content Characteristics

D. Fake News Detection Models

In response to the swift evolution and intricate challenges posed by fake news, paperers advocate for the application of artificial intelligence tools and machine learning techniques [12],[13]. These advanced computational methods are recommended due to their ability to adapt and learn from the nuanced characteristics of disinformation, as visualized in Figure 3.

Central Node: Fake News Detection Models This is the focal point from which various approaches to fake news detection branch out, indicating the diversity of methods utilized in this field.

• Machine Learning Approach

Illustrated with an image that seems to depict a robot examining a text labeled "FAKE," representing the use of machine learning algorithms in the automated detection of fake news[14].

Natural Language Processing Technique

An image next to this label suggests the use of NLP in understanding and processing human language, a key component in analyzing textual content for fake news[15].

• Hybrid Technique

This approach likely combines elements from various methodologies, possibly integrating machine learning and human expertise to improve detection accuracy.

• Expert-crowdsource / Human-Machine Approach

Indicated by a group of figures, which could represent the collaborative effort of experts and the general public in identifying fake news, or a synergy between human analysis and machine processing.

• Crowdsourced Approach

A network image next to this label might symbolize the collective effort of a network of individuals in identifying and verifying news information.



Figure 3. Fake news detection models

Recommendation System Approach

This may involve using algorithms that analyze user behavior and preferences to recommend reliable news sources and filter out potential fake news.

• Deep Learning

Visualized by a neural network diagram, signifying the use of deep learning models like CNNs, RNNs, or Transformer-based models to detect complex patterns associated with fake news.

E. Machine Learning

Machine learning [16], a crucial subset of artificial intelligence, stands as one of the most pivotal and efficacious technologies in the modern era. Coined by the American pioneer of computer gaming and artificial intelligence, Arthur Samuel, in 1959, machine learning refers to the process of enabling computers to learn autonomously without explicit programming.

Distinguished from traditional computational approaches, machine learning transcends mere algorithmic instructions—which are predefined steps for problem-solving. Instead, machine learning algorithms empower computers to learn from data, drawing on statistical analysis to infer patterns and make decisions within a given framework. This facilitates the creation of models from sample data, enhancing the ability to make informed decisions based on empirical evidence.

Machine learning encompasses a variety of techniques that equip software programs with the ability to discern trends and relationships in incoming data more effectively. This adaptive capacity allows for the refinement of predictions and actions in response to new information, without the need for direct human intervention in the programming of outcomes[17].

Machine learning boasts a wide array of applications across various domains, exemplified by the following uses:

- (i) Prediction: Machine learning algorithms are instrumental in predictive systems, enabling precise weather forecasting and the analysis of probabilities for incorrect outcomes.
- (ii) Computer Vision: Image processing capitalizes on machine learning techniques to enhance interpretation and analysis.
- (iii) Speech Recognition: Machine learning is utilized to convert text into speech and facilitate the operation of autonomous vehicles and robots through voice commands and recognition systems.
- (iv) Health Diagnoses: The predictive power of machine learning algorithms is leveraged in healthcare for diagnosing medical conditions with increased accuracy.

1. ML Methods

In the domain of machine learning, analytical methods are typically organized into overarching categories for streamlined reference and study. Classification hinges on the learning style of machines and their interaction with feedback. The predominant methodologies in ML encompass supervised learning, where algorithms are trained using data labeled by humans, and unsupervised learning, which does not utilize explicit examples for training but rather relies on the identification of patterns and structures within the input data itself [18].

2. Random Forest

Random Forest is a versatile technique suited for tackling both regression and classification challenges. As an ensemble method within the supervised learning paradigm, it creates a 'forest' that is indeed 'random'. The robustness of this method is analogous to the density of the forest; the more trees it has, the more refined the analysis. Consequently, a forest with a multitude of trees is likely to yield more precise outcomes. The Random Forest (RF) algorithm comes with several advantages; it is adept at handling missing values and can also be adapted for categorical variable inputs. A noteworthy strength of the RF approach is its inherent resistance to overfitting, making it a reliable option for classification tasks [19].

2.1 K-Nearest Neighbors (KNN)

KNN is an intuitive algorithm that classifies new instances based on the proximity and similarity to existing data points. It operates by identifying the closest examples in the training set, often referred to as the nearest neighbors, and makes predictions by aggregating the outcomes of these 'k' closest instances.

2.2 Logistic Regression

Logistic Regression is a predictive analysis technique that estimates discrete values, typically binary, based on given set of independent variables. It enables machine learning models to classify incoming data by learning from previous data points, enhancing the algorithm's prediction accuracy as it processes more relevant data. Often utilized in the ETL (Extract, Transform, Load) process, logistic regression categorizes data into distinct categories, preparing it for further analysis. This method assesses the relationship between one or more predictor variables and a categorical response variable.

2.3 Support Vector Machine (SVM)

SVM is a powerful supervised learning model used primarily for classification and regression challenges. After training on a dataset already divided into categories, SVM predicts where new data points fall within these categories[20]. It functions as a non-linear classifier that effectively handles both linear and nonlinear data. SVMs are extensively used across various fields for applications like text classification, image recognition, and handwriting analysis, leveraging their ability to perform complex classification and multivariate analysis [21].

2.4 Naïve Bayes

Naïve Bayes (NB) is a probabilistic classification technique that estimates the likelihood of a target class based on the presence of various attributes within a sample. This method is particularly effective when the decision to classify relies on a set of features, collectively known as evidence, which may not be significant individually but are influential collectively. Naïve Bayes operates under the assumption that all features are independent of one another, meaning the presence of one feature does not affect the presence of another. This independence assumption simplifies calculations and makes Naïve Bayes a useful baseline for comparing more complex models. It also supports incremental learning, where the model is continually updated with new data instead of being rebuilt from scratch, enhancing its adaptability and efficiency over time [22].

2.5 Decision Trees

Decision Trees are a form of supervised learning model that are utilized for both classification and regression tasks, representing a robust nonparametric methodology. This model segments the dataset into subsets based on attribute value tests. Each subset is then recursively split in a similar manner, and this process continues until all elements within a subset fall under the same category, at which point the recursion terminates. The final structure of a decision tree consists of nodes and leaves: the decision nodes represent the points of attribute decision, while the leaf nodes signify the outcome of those decisions, be it a classification result or a regression value. Decision trees are versatile in handling various data types, including categorical and numerical data, making them a comprehensive tool for predictive analysis[23].

F. Deep Learning

Deep learning, a sophisticated subset of machine learning (ML), mimics the human brain's processing methods to tackle complex problems. It is particularly adept at handling tasks that require recognizing intricate patterns and characteristics autonomously, such as text recognition for identifying fake news and detecting spam. The potential of deep learning in fake news identification is significant, as noted by [24]. However, paper in this area, as discussed by [25], is still emerging, with neural networks playing a crucial role in advancements.

The term "deep learning" (DL) was first associated with machine learning by Dechter, who used artificial neural networks based on a Boolean threshold. Today, deep learning forms a core part of artificial intelligence (AI) paper and is applied across a wide array of applications. These range from computer vision and speech recognition to natural language processing, anomaly detection, asset allocation, healthcare monitoring, and personality mining. Deep learning is increasingly being leveraged to enhance decision-making by analyzing vast datasets and uncovering underlying patterns.

[26] highlight deep learning's capacity to improve learning outcomes, expand paper horizons, and streamline analytical processes. Over recent decades, various deep learning methods have been proposed to address challenges on online social networks, such as fake news, disinformation, and anomaly detection. Paperers continue to explore new avenues of investigation to address gaps in the field. Technologies like recurrent neural networks (RNN), long short-term memory (LSTM) networks, and convolutional neural networks (CNN) have been instrumental in extracting insights from diverse implementations, illustrating deep learning's growing prevalence in modern technological applications [27].

G. Fake News Detection Techniques

How to Detect Fake News on Social Media Using Various Machine Learning Algorithms?

1) Neural Networks

Neural Networks are computational learning systems that transform input data into desired outputs using a network of functions [28]. These networks consist of algorithms designed to identify patterns and relationships within data by emulating the operational principles of the human brain [29]. The term "neural networks" encompasses systems of neurons, which can be either organic or artificial. One of the key strengths of neural networks is their ability to adjust to new inputs, allowing them to optimize outputs continually without the need to reconfigure the output criteria explicitly [30]. Originally developed within the field of artificial intelligence, neural networks are increasingly becoming essential in creating sophisticated trading systems [31].

2) Support Vector Machine (SVM)

The Support Vector Machine (SVM) is a robust and flexible supervised learning algorithm predominantly used for classification and regression tasks [21]. First introduced in the 1960s and significantly enhanced in the 1990s, SVM operates by dividing datasets into distinct classes by identifying the optimal hyperplanes. This method is particularly effective in minimizing classification errors through the strategic use of hyperplanes, making it a preferred choice for complex data separation challenges.

3) Naive Bayes

Naive Bayes is a probabilistic machine learning algorithm based on applying Bayes' Theorem with the assumption of independence between predictors. It is particularly well-suited for classification tasks where simplicity and speed are essential, and it excels in handling large datasets with multiple categories. Naive Bayes classifiers work effectively by calculating the probability of each class and the conditional probability of each class given each input variable. This approach is widely used in various applications, from spam detection in emails to sentiment analysis in social media content[22].

4) N-Gram Analysis

N-Gram analysis is a popular technique in natural language processing that involves extracting sequences of 'n' items (typically words or characters) from a given text. This method is used to develop a model that predicts the next item in such sequences, making it particularly effective for tasks such as text classification, sentiment analysis, and spam detection. By analyzing the frequency and context of these n-grams within large corpora, it is possible to discern patterns that distinguish between different types of content, such as genuine and fake news. N-Gram analysis helps in understanding and modeling the linguistic structure of texts, providing a quantitative basis for making informed decisions about the nature of the content.

H. Literature Review:

Abdulrahman et. al. (2020)[32], explored the use of both machine learning and deep learning algorithms for the detection of fake news. Their paper employed a variety of feature extraction methods, including TF-IDF, count vector, character level vector, and N-Gram level vector, across multiple machine learning and deep learning classifiers. This study is noteworthy for its broad approach, testing a wide array of algorithms to determine the most effective techniques for identifying fake content, particularly on social media platforms. The paper demonstrated that deep learning models, especially convolutional neural networks, were particularly effective, achieving high accuracy in detecting fake news.

Akinyemi et. al. (2020)[33], introduced an improved classification model for fake news detection in social media. Utilizing an innovative stacking ensemble method, their model combines the strengths of Support Vector Machines (SVM), Random Forest, and Recurrent Neural Networks (RNN) to effectively classify news content. This hybrid approach leverages machine learning algorithms to enhance accuracy and reduce false positives, addressing the challenges of rapidly identifying and classifying deceptive news content in the dynamic environment of social media.

Kesarwani et. al. (2020)[34], proposed a K-Nearest Neighbor (KNN) classifier approach for detecting fake news on social media, particularly focusing on Facebook news posts. Their study utilizes user engagement data such as share counts, comment counts, and reactions to classify news posts effectively. By employing KNN, a simple yet powerful machine learning algorithm, they leveraged user interactions to identify patterns associated with fake news, providing a tool that adapts to the dynamic nature of social media content.

Sheng How et. al. (2020)[35], Explored the critical context of the 'infodemic' associated with the COVID-19 pandemic, where misinformation could have had severe social and health repercussions. The authors had utilized ensemble methods and demonstrated that these methods significantly outperformed other algorithms, achieving accuracy levels of over 98% on thematically diverse datasets and 95% on pandemic-related datasets. This study had been pivotal as it not only highlighted the efficacy of ensemble methods in fake news detection across varied themes but also pointed out the limitations of relying solely on neural networks in certain scenarios.

Konkobo et. al. (2020)[36], developed a semi-supervised learning model aimed at the early detection of fake news on social media. Their approach, detailed in their work, integrates user opinion extraction, credibility assessment, and social network analysis to enhance fake news detection. By leveraging a combination of Convolutional Neural Networks (CNNs) designed to process various facets of social media data, their model addresses the challenges posed by the vast amounts of unlabeled data typical of social media environments. This approach not only allows for early detection but also harnesses the power of user-generated content to improve the accuracy and reliability of fake news identification.

Weiss et. al. (2020)[37], developed a novel approach for detecting fake news on Twitter by leveraging propagation structures. their paper highlights the distinct ways in which real and fake news propagate on social media. By using propagation features, they explore the different dynamics of news spread, such as the size and speed of dissemination among users. This approach not only distinguishes between real and fake news based on how they spread but also introduces a Geometric Deep Learning method to analyze the networks formed by these propagations, thereby pushing forward the boundaries of fake news detection using advanced analytical techniques.

Sabeeh et. al. (2020)[38], developed a deep learning-based model called SPOT for detecting fake news on social media through opinion mining and trustworthiness analysis using Twitter metadata. This model uniquely combines semantic knowledge sources with a Bi-directional Gated Recurrent Neural Network (GRNN) to assess both the sentiment of user comments and the credibility of users and news events. Their approach aims to enhance the accuracy of fake news detection by incorporating these diverse data points, thereby offering a more robust solution to the challenge of misinformation on social platforms.

Chauhan et. al. (2021)[39] developed an advanced deep learning-based model to optimize fake news detection for societal benefits, as documented in the International Journal of Information Management Data Insights. Their paper employed a Long Short-Term Memory (LSTM) neural network-integrated with GloVe word embeddings to improve the accuracy of differentiating false news from genuine articles. This approach leverages the powerful capabilities of LSTM to handle sequence prediction problems and the semantic richness of GloVe embeddings to represent textual data effectively. Their model demonstrated remarkable effectiveness, achieving an accuracy of 99.88%, and is particularly notable for its application in enhancing societal and governmental decision-making processes regarding the spread of misinformation.

Hakak et. al. (2021)[40], developed an ensemble machine-learning model to enhance fake news detection. This paper, detailed in their publication in "Future Generation Computer Systems," employs a robust ensemble of Decision Tree, Random Forest, and Extra Tree Classifier models to effectively identify fake news. The approach leverages advanced feature extraction techniques, optimizing the model for high accuracy and efficiency. Particularly notable is the application of this model on the ISOT and Liar datasets, where it achieved remarkable testing accuracies, demonstrating its potential for practical application in real-world scenarios where accurate and timely detection of fake news is critical.

Kaliyar et. al. (2021)[41] developed "FakeBERT," a BERT-based deep learning approach for detecting fake news on social media. Their method leverages a unique combination of Convolutional Neural Networks (CNNs) and the Bidirectional Encoder Representations from Transformers (BERT) model to enhance feature extraction capabilities significantly. The hybrid model targets ambiguity in natural language understanding by processing input through parallel CNN blocks with varying kernel sizes and filters, alongside BERT's contextual capabilities. This approach allows for a nuanced understanding of text and has been shown to outperform existing models by achieving a commendable accuracy of 98.90%.

Khanam et. al. (2021)[42] Presented a comparative analysis of machine learning approaches for fake news detection, as detailed in their article published in the IOP Conference Series: Materials Science and Engineering. The paper focused on the use of supervised machine learning algorithms and natural language processing (NLP) tools to classify news articles as true or false. By implementing a combination of traditional machine learning models like Decision Trees, Random Forests, and SVMs with feature extraction techniques such as Count Vectorizer and TF-IDF Vectorizer, the study explored how various models performed in detecting misinformation, with an emphasis on selecting features that optimized precision based on confusion matrix results.

Nagaraja et. al. (2021)[43] have developed a machine learning-based model to detect fake news, utilizing Naive Bayes and Support Vector Machine (SVM) algorithms. Their methodology involves a detailed preprocessing step that includes text normalization and semantic analysis to improve the accuracy of news classification. This approach is significant in the landscape of fake news detection as it integrates traditional text classification methods with semantic validation to ensure the reliability of news content. Their findings contribute to the ongoing efforts in combating misinformation, particularly in the realm of social media where news spreads rapidly.

Ni et. al. (2021)[44], introduced the Multi-View Attention Networks (MVAN) model for detecting fake news on social media, particularly focusing on Twitter. Their novel approach integrates two types of attention mechanisms—text semantic and propagation structure attention—within a neural network framework to analyze both the content of tweets and their propagation patterns. This method offers a dual perspective by focusing on keywords within tweets and identifying suspicious users involved in their spread, providing not only higher accuracy in detection but also insights into the reasons behind the classifications made by the model. Their study demonstrated that the MVAN model outperformed existing state-of-the-art methods by achieving a significant improvement in accuracy on real-world datasets.

Kaliyar et. al. (2021)[45], introduced "EchoFakeD," a deep neural network designed to enhance fake news detection on social media by integrating content analysis with echo chamber effects. Their method leverages a coupled matrix-tensor factorization technique to analyze both news content and the social context, providing a more comprehensive approach to detecting fake news. This model addresses the need for efficient detection tools capable of analyzing the vast amount of content on social media and the social dynamics involved in the spread of fake news.

Nistor et. al. (2022)[46], explored the use of advanced machine learning methods combined with natural language processing to analyze and verify web content during the COVID-19 pandemic, specifically targeting fake news on social media. Their paper utilized complex models to automate the detection of misinformation, thereby contributing to the understanding of how fake news can influence social dynamics during critical events such as pandemics. Their approach, which was particularly focused on Facebook data, emphasized the

economic and social implications of unchecked misinformation and proposed more effective computational strategies for its detection.

Seddari et. al. (2022)[47], developed a hybrid fake news detection system that integrates linguistic and knowledge-based analysis to address misinformation on social media. This approach, highlighted in their work published in IEEE Access, leverages both types of features to improve the detection of fake news significantly. By employing a compact set of only eight features, the model achieves high accuracy, demonstrating the efficacy of combining linguistic cues with factverification elements such as the reputation of sources and coverage. This method offers a promising solution to the challenges posed by the dynamic and pervasive nature of fake news in digital media.

Tashtoush et. al. (2022)[48], addressed the urgent need for effective tools to combat the spread of COVID-19-related fake news on social media platforms. They developed a comprehensive deep learning framework utilizing various neural network architectures, including LSTM, Bi-directional LSTM, CNN, and a hybrid CNN-LSTM model. Their work, published in "Data", leveraged a novel "COVID-19 Fake News" dataset, containing 21,379 instances of news data, to train and test these models. The study underscored the efficacy of these deep learning techniques in automating the detection of misinformation related to the pandemic, with the CNN model achieving the highest accuracy at 94.2%.

Vasist et. al. (2022)[49], explored the critical context of the 'infodemic' associated with the COVID-19 pandemic, where misinformation could have had severe social and health repercussions. The authors utilized ensemble methods and demonstrated that these methods significantly outperformed other algorithms, achieving accuracy levels of over 98% on thematically diverse datasets and 95% on pandemic-related datasets. This study was pivotal as it not only highlighted the efficacy of ensemble methods in fake news detection across varied themes but also pointed out the limitations of relying solely on neural networks in certain scenarios.

John et. al. (2022)[50], explored fake news detection utilizing n-gram analysis and machine learning algorithms, Communications & Mobile Networks. Their paper primarily focused on comparing the effectiveness of Term Frequency (TF) and Term Frequency-Inverted Document Frequency (TF-IDF) as feature extraction techniques alongside various machine learning models including SVM, LSVM, KNN, SGD, Decision Trees, and Logistic Regression. Their study highlighted the superior performance of the TF-IDF feature extraction method when paired with the Linear Support Vector Machine (LSVM) and Stochastic Gradient Descent (SGD), achieving a notable accuracy of up to 94.2% through performance tuning with Random Search CV.

Stitini et. al. (2022)[51], explored the integration of trust and transparency in social network recommendation systems through the detection of fake news. their study proposes a semi-supervised learning framework for the multiclass classification of fake news using unlabeled data. The paper introduces innovative methods like self-training and majority voting to improve the classification of fake news types. This work is pivotal in enhancing trust in social network environments, presenting a comprehensive approach to addressing the complexities of misinformation spread online. Liviu Dinu et. al. (2023)[52], the paper explored text-based methods within artificial intelligence to differentiate factual content from misinformation. Utilizing a new corpus specifically tailored for the Romanian language, which comprised two subsets of 977 and 29,154 news articles, the study examined various machine learning techniques. These approaches yielded an impressive accuracy of 93%, highlighting their effectiveness in identifying fake news in a language with limited paper in this area.

Jing et. al. (2023)[53], addressed the challenge of multimodal fake news detection through the development of a Progressive Fusion Network (MPFN). This innovative approach significantly enhanced the detection process by capturing and integrating features across different modalities and hierarchical levels, which helped in overcoming the limitations of previous methods that primarily focused on deep features. The MPFN model utilized a combination of a Transformer-based visual feature extractor and a BERT-based text feature extractor to analyze both text and visual inputs effectively. Extensive testing on Weibo and Twitter datasets demonstrated the superiority of this model, achieving an accuracy of 83.3% on the Twitter dataset, which represented at least a 4.3% improvement over existing state-of-the-art methods.

Mallick et. al. (2023)[54], introduced a cooperative deep-learning model aimed at enhancing fake news detection on online social networks. leverages user feedback to determine news trustworthiness, integrating it with deep learning techniques to classify news articles. Utilizing a Convolutional Neural Network (CNN), the model processes user feedback to rank news, effectively distinguishing between genuine and fake content. This approach not only automates the detection process but also incorporates user interaction to refine the accuracy of the classification, achieving a high accuracy rate of 98% in detecting fake news.

Mohawesh et. al. (2023)[55], proposed an innovative semantic graph-based topic modeling framework to tackle multilingual fake news detection. This model, developed to enhance performance in low-resource languages, utilized a unique combination of semantic graph attention networks and neural topic modeling to extract deep semantic and structural representations from multilingual text corpora. Their experiments on the TALLIP fake news datasets demonstrated significant improvements in classification accuracy, with enhancements ranging from 1% to 7% over existing state-of-the-art models, addressing the critical challenge of detecting fake news across different languages.

Kumari Shalini et. al. (2023)[56] explored the application of machine learning techniques for detecting fake news on social media platforms. Their study, published in the International Journal of Intelligent Systems and Applications in Engineering, centers around a Recurrent Neural Network (RNN) model that classifies social media profiles as either genuine or fraudulent based on various user attributes such as friends count, followers, tweet counts, and retweet counts. The model utilizes a hybrid feature extraction method, improving the accuracy of classifying fake identities in an imbalanced dataset, and achieves notable accuracy levels on both synthetic and real-time social media datasets.

Syed et. al. (2023)[57], developed a hybrid weakly supervised learning model combined with deep learning techniques to detect fake news related to cyber propaganda. Their paper introduces a novel approach utilizing Bi-GRU and

Bi-LSTM models integrated with weakly supervised learning. This method leverages transductive learning to annotate unlabeled data automatically, significantly enhancing the accuracy of fake news detection. The study emphasizes the challenge of rapidly disseminating false information through social media and the need for advanced tools to counteract this issue effectively, showcasing an accuracy rate of 90% in their experiments.

Zhang et. al. (2023)[58], addressed the challenge of detecting fake financial news in the Chinese market using a deep learning approach. Due to the absence of a public dataset, they constructed their own from clarification announcements made by listed companies, which uniquely positioned their work in the context of financial misinformation. They highlighted the addition of financial features to the standard content and contextual features typically used in fake news detection, which significantly enhanced the detection process. Their model achieved a high accuracy of 94.38%, demonstrating the effectiveness of integrating deep learning techniques specifically tailored to the financial sector, where misinformation could have drastic effects on the market and investor behavior.

Biradar et. al. (2023)[59], developed a robust approach to combat the spread of COVID-19-induced fake news on social media networks. Their paper focuses on a machine learning framework utilizing early fusion-based methods for combining key features from context-based embeddings such as BERT, XLNet, and ELMo to enhance the accuracy of fake news detection. This approach allows for a more nuanced understanding of the context and semantic information of social media posts, addressing the rapid spread and significant impact of misinformation during the pandemic. Their findings demonstrated the effectiveness of this model, achieving a high accuracy rate of 97% in identifying false information.

Fang et. al. (2024)[60], the NSEP framework was introduced for the early detection of fake news, focusing on analyzing the semantic environment of news through deep learning techniques. The study critically reviewed existing methodologies that predominantly relied on content analysis and highlighted their limitations in early fake news detection. NSEP advanced this field by integrating macro and micro semantic environments that used graph convolutional networks and attention mechanisms to detect semantic inconsistencies, demonstrating superior performance over traditional methods. This novel approach not only broadened the understanding of semantic-based fake news detection but also significantly improved accuracy in identifying fake news at the early stages of its spread.

Sudhakar et. al. (2024)[61], investigated various machine learning and deep learning models to detect fake news on social media, specifically analyzed COVID-19 misinformation spread via Twitter. Their methodology involved comparing traditional machine learning models such as Naive Bayes, Logistic Regression, and Support Vector Machines (SVMs) with advanced deep learning techniques like Convolutional Neural Networks and Long Short-Term Memory (LSTM) networks. This comprehensive approach aimed to enhance the prediction accuracy of fake news detection in an era where misinformation could have severe public health implications.

Author & Year	Dataset	Methodology	Pros & Cons	Accuracy
Abdulrahman et. al. 2020 [32]	Kaggle, 7,796 items	TF-IDF, Count Vector, AdaBoost, CNN	Deep model accuracy vs limited dataset	81-100%
Akinyemi et. al. 2020 [33]	PHEME, 5,800 tweets	SVM, RF, RNN	ML techniques & social context vs high computational demands	+17.25%
Kesarwani et. al. 2020 [34]	BuzzFeed	KNN	Real-time data use vs engagement accuracy issues	~79%
Sheng How et. al. 2020 [35]	US News, Kaggle	NLP, N-gram, TensorFlow	Advanced NLP techniques vs resource needs	90.3%, 97.5% recall
Konkobo et. al. 2020 [36]	Politifact, Gossipcop	Semi-supervised, CNNs	User opinions & network analysis vs model complexity	72.25%, 70.35%
Weiss et. al. 2020 [37]	Twitter	Random Forest, Geometric DL	Propagation structures vs dynamic accuracy	87%, 73.3%
Sabeeh et. al. 2020 [38]	Twitter	SPOT model, Bi- GRNN	Semantic sources vs high resource needs	14.15%
Chauhan et. al. 2021 [39]	Kaggle, 40,000 articles	LSTM, GloVe	High NLP accuracy vs overfitting risk	99.88%
Hakak et. al. 2021 [40]	ISOT, Liar	Decision Tree, RF	Feature extraction efficiency vs overfitting	44.15%, 100%
Kaliyar et. al. 2021 [41]	Fake news dataset	FakeBERT	BERT and CNN integration vs data dependency	98.90%
Khanam et. al. 2021 [42]	Annotated dataset	ML algorithms, NLP	Comprehensive ML use vs scalability	92%
Nagaraja et. al. 2021 [43]	Multiple sources	Naive Bayes, SVM	Effective semantic analysis vs assumptions dependency	63%, 75%
Ni et. al. 2021 [44]	Twitter15, Twitter16	MVAN	Dual attention mechanisms vs resource demands	+2.5%
Kaliyar et. al. 2021 [45]	BuzzFeed, PolitiFact	EchoFakeD	Social context integration vs complexity	92.30%
Nistor et. al. 2022 [46]	Facebook, COVID-19	ML, NLP	AI technologies vs dataset specificity	90%
Seddari et. al. 2022 [47]	Unspecified	Hybrid, fact- checking	Efficient feature use vs external dependencies	94.4%
Tashtoush et. al. 2022 [48]	COVID-19 Fake News	LSTM, CNN	Extensive model evaluation vs focus limits	94.2%
Vasist et. al. 2022 [49]	Diverse datasets	Ensemble methods, neural networks	High accuracy vs generalization	>98%, 95%
John et. al. 2022 [50]	Synthetic dataset	N-gram, TF, TF-IDF	Comprehensive analysis vs optimal combinations need	94.2%
Stitini et. al. 2022 [51]	Multiple fake news types	Semi-supervised, self-training	Multiclass detection vs accuracy limits	96%
Liviu Dinu et. al. 2023 [52]	Romanian news	AI, ML	Tailored approach vs Romanian specificity	93%

Table 1: Summary About The Literature Review on Details

Jing et. al. 2023 [53]	Weibo, Twitter	MPFN, BERT	Feature fusion vs customization needs	83.3%
Mallick et. al. 2023 [54]	ISOT Fake News	Cooperative DL	User feedback integration vs bias risks	98%
Mohawesh et. al. 2023 [55]	TALLIP fake news	Semantic graph, GANs	Advanced text analysis vs resource needs	+1% to 7%
Kumari Shalini et. al. 2023 [56]	Twitter	RNN	Handles imbalanced data vs generalization	~96%, 98%
Syed et. al. 2023 [57]	Social media	Hybrid, Bi-GRU, Bi- LSTM	Weakly supervised learning vs complexity	90%
Zhang et. al. 2023 [58]	Financial news, China	Deep learning	Innovative use vs proprietary data reliance	94.38%
Biradar et. al. 2023 [59]	CONSTRAINT dataset	BERT, XLNet, ELMo	Contextual embeddings vs resource needs	97%
Fang et. al. 2024 [60]	Chinese and English datasets	NSEP framework	Early detection vs dataset specificity	86.8%
Sudhakar et. al. 2024 [61]	COVID-19, 1.38M tweets	Various ML, DL models	Extensive comparison vs tuning needs	98%

I. Discussion

Table 1 provides a comprehensive overview of the various studies on fake news detection, summarizing key methodologies, datasets used, and the outcomes achieved across diverse social media platforms. It meticulously outlines the comparative effectiveness of different machine learning and deep learning models that have been explored in the literature, emphasizing the shift towards ensemble and hybrid models which have shown superior accuracy in detecting misinformation. This table is instrumental in understanding the evolution of detection techniques and highlights the critical role of advanced NLP tools and machine learning algorithms in enhancing the robustness of fake news detection systems. It also underscores recurring challenges such as the adaptability of models to new, unseen data and the need for more universally applicable solutions across varied linguistic and cultural landscapes. Table 1 not only facilitates a direct comparison of the effectiveness of different approaches but also identifies gaps in current paper, setting a clear agenda for future investigations that might include more dynamic models and cross-cultural validation studies to better address the rapidly changing nature of fake news on digital platforms.

J. Conclusion

In this paper, we conducted a thorough review of recent paper articles on fake news detection, spanning from 2020 to 2024. The studies have showcased a broad array of methodologies employed to combat misinformation across various platforms. This review highlights the evolution of machine learning and deep learning techniques from simple classifiers to complex ensemble and hybrid models. These innovations have not only increased the accuracy of detection systems but also adapted them to tackle the nuances of different types of content, from social media posts to financial news. Each study contributes to a deeper understanding of the multifaceted challenge of fake news, offering insights into both technological advancements and the ongoing need for strategies that address the dynamic nature of misinformation.

K. References

- [1] L. E. Mason, D. Krutka, and J. Stoddard, "Media Literacy, Democracy, and the Challenge of Fake News," Journal of Media Literacy Education, vol. 10, no. 2, pp. 1–10, 2018, doi: 10.23860/JMLE-2018-10-2-1.
- [2] K. Shu, S. Wang, J. Tang, R. Zafarani, and H. Liu, "User Identity Linkage across Online Social Networks," ACM SIGKDD Explorations Newsletter, vol. 18, no. 2, pp. 5–17, Mar. 2017, doi: 10.1145/3068777.3068781.
- [3] G. Shrivastava, P. Kumar, R. P. Ojha, P. K. Srivastava, S. Mohan, and G. Srivastava, "Defensive Modeling of Fake News Through Online Social Networks," *IEEE Trans Comput Soc Syst*, vol. 7, no. 5, pp. 1159–1167, Oct. 2020, doi: 10.1109/TCSS.2020.3014135.
- [4] G. Sansonetti, F. Gasparetti, G. D'aniello, and A. Micarelli, "Unreliable Users Detection in Social Media: Deep Learning Techniques for Automatic Detection," *IEEE Access*, vol. 8, pp. 213154–213167, 2020, doi: 10.1109/ACCESS.2020.3040604.
- [5] X. Zhou and R. Zafarani, "A Review of Fake News," *ACM Comput Surv*, vol. 53, no. 5, pp. 1–40, Sep. 2021, doi: 10.1145/3395046.
- [6] W. Zhuang, Q. Zeng, Y. Zhang, C. Liu, and W. Fan, "What makes user-generated content more helpful on social media platforms? Insights from creator interactivity perspective," *Inf Process Manag*, vol. 60, no. 2, p. 103201, Mar. 2023, doi: 10.1016/j.ipm.2022.103201.
- [7] G. Sansonetti, F. Gasparetti, G. D'aniello, and A. Micarelli, "Unreliable Users Detection in Social Media: Deep Learning Techniques for Automatic Detection," *IEEE Access*, vol. 8, pp. 213154–213167, 2020, doi: 10.1109/ACCESS.2020.3040604.
- [8] M. R. Kondamudi, S. R. Sahoo, L. Chouhan, and N. Yadav, "A comprehensive review of fake news in social networks: Attributes, features, and detection approaches," *Journal of King Saud University - Computer and Information Sciences*, vol. 35, no. 6, p. 101571, Jun. 2023, doi: 10.1016/j.jksuci.2023.101571.
- [9] X. Zhang and A. A. Ghorbani, "An overview of online fake news: Characterization, detection, and discussion," *Inf Process Manag*, vol. 57, no. 2, p. 102025, Mar. 2020, doi: 10.1016/j.ipm.2019.03.004.
- [10] A. Rauchfleisch, D. Vogler, and M. Eisenegger, "Transnational News Sharing on Social Media: Measuring and Analysing Twitter News Media Repertoires of Domestic and Foreign Audience Communities," *Digital Journalism*, vol. 8, no. 9, pp. 1206–1230, Oct. 2020, doi: 10.1080/21670811.2020.1835511.
- [11] M. Wankhade, A. C. S. Rao, and C. Kulkarni, "A review on sentiment analysis methods, applications, and challenges," *Artif Intell Rev*, vol. 55, no. 7, pp. 5731– 5780, Oct. 2022, doi: 10.1007/s10462-022-10144-1.
- [12] M. Granik and V. Mesyura, "Fake news detection using naive Bayes classifier," in 2017 IEEE First Ukraine Conference on Electrical and Computer Engineering (UKRCON), IEEE, May 2017, pp. 900–903. doi: 10.1109/UKRCON.2017.8100379.
- [13] N. Kshetri and J. Voas, "The Economics of 'Fake News," *IT Prof*, vol. 19, no. 6, pp. 8–12, Nov. 2017, doi: 10.1109/MITP.2017.4241459.

- [14] S. M. Abas and A. M. Abdulazeez, "Detection and Classification of Leukocytes in Leukemia using YOLOv2 with CNN," *Asian Journal of Paper in Computer Science*, pp. 64–75, May 2021, doi: 10.9734/ajrcos/2021/v8i330204.
- [15] H. T. Sadeeq and A. M. Abdulazeez, "Metaheuristics: A Review of Algorithms," *International Journal of Online and Biomedical Engineering (iJOE)*, vol. 19, no. 09, pp. 142–164, Jul. 2023, doi: 10.3991/ijoe.v19i09.39683.
- [16] S. Mishra, P. Shukla, and R. Agarwal, "Analyzing Machine Learning Enabled Fake News Detection Techniques for Diversified Datasets," *Wirel Commun Mob Comput*, vol. 2022, pp. 1–18, Mar. 2022, doi: 10.1155/2022/1575365.
- [17] R. M. Abdullah, A. M. Abdulazeez, and A. Al-Zebari, "Machine learning Algorithm of Intrusion Detection System," *Asian Journal of Paper in Computer Science*, pp. 1–12, Jun. 2021, doi: 10.9734/ajrcos/2021/v9i330221.
- [18] N. F. Baarir and A. Djeffal, "Fake News detection Using Machine Learning," in 2020 2nd International Workshop on Human-Centric Smart Environments for Health and Well-being (IHSH), IEEE, Feb. 2021, pp. 125–130. doi: 10.1109/IHSH51661.2021.9378748.
- [19] B. E. Boser, I. M. Guyon, and V. N. Vapnik, "A training algorithm for optimal margin classifiers," in *Proceedings of the fifth annual workshop on Computational learning theory*, New York, NY, USA: ACM, Jul. 1992, pp. 144– 152. doi: 10.1145/130385.130401.
- [20] A. Mohsin Abdulazeez and Z. Salih Ageed, "Face Emotion Recognition Based on Machine Learning: A Review," 2024.
- [21] M. Choudhary, S. Jha, Prashant, D. Saxena, and A. K. Singh, "A Review of Fake News Detection Methods using Machine Learning," in 2021 2nd International Conference for Emerging Technology (INCET), IEEE, May 2021, pp. 1–5. doi: 10.1109/INCET51464.2021.9456299.
- [22] P. Tijare, "A Study on Fake News Detection Using Naïve Bayes, SVM, Neural Networks and LSTM." Apr. 2019.
- [23] B. Charbuty and A. Abdulazeez, "Classification Based on Decision Tree Algorithm for Machine Learning," *Journal of Applied Science and Technology Trends*, vol. 2, no. 01, pp. 20–28, Mar. 2021, doi: 10.38094/jastt20165.
- [24] M. R. Islam, S. Liu, X. Wang, and G. Xu, "Deep learning for misinformation detection on online social networks: a review and new perspectives," *Soc Netw Anal Min*, vol. 10, no. 1, p. 82, Dec. 2020, doi: 10.1007/s13278-020-00696-x.
- [25] L. Hu, S. Wei, Z. Zhao, and B. Wu, "Deep learning for fake news detection: A comprehensive review," *AI Open*, vol. 3, pp. 133–155, 2022, doi: 10.1016/j.aiopen.2022.09.001.
- [26] J. A. Nasir, O. S. Khan, and I. Varlamis, "Fake news detection: A hybrid CNN-RNN based deep learning approach," *International Journal of Information Management Data Insights*, vol. 1, no. 1, p. 100007, Apr. 2021, doi: 10.1016/j.jjimei.2020.100007.
- [27] W. H. Bangyal *et al.*, "Detection of Fake News Text Classification on COVID-19 Using Deep Learning Approaches," *Comput Math Methods Med*, vol. 2021, pp. 1–14, Nov. 2021, doi: 10.1155/2021/5514220.
- [28] D. Saxena and A. K. Singh, "Auto-adaptive learning-based workload forecasting in dynamic cloud environment," International Journal of Computers

and Applications, vol. 44, no. 6, pp. 541–551, Jun. 2022, doi: 10.1080/1206212X.2020.1830245.

- [29] D. Saxena and A. K. Singh, "A proactive autoscaling and energy-efficient VM allocation framework using online multi-resource neural network for cloud data center," Neurocomputing, vol. 426, pp. 248–264, Feb. 2021, doi: 10.1016/j.neucom.2020.08.076.
- [30] J. Kumar, D. Saxena, A. K. Singh, and A. Mohan, "BiPhase adaptive learningbased neural network model for cloud datacenter workload forecasting," Soft comput, vol. 24, no. 19, pp. 14593–14610, Oct. 2020, doi: 10.1007/s00500-020-04808-9.
- [31] D. Saxena, A. K. Singh, C.-N. Lee, and R. Buyya, "A sustainable and secure load management model for green cloud data centres," Sci Rep, vol. 13, no. 1, p. 491, Jan. 2023, doi: 10.1038/s41598-023-27703-3.
- [32] A. Abdulrahman and M. Baykara, "Fake News Detection Using Machine Learning and Deep Learning Algorithms," in 3rd International Conference on Advanced Science and Engineering, ICOASE 2020, Institute of Electrical and Electronics Engineers Inc., Dec. 2020, pp. 18–23. doi: 10.1109/ICOASE51841.2020.9436605.
- [33] B. Akinyemi, O. Adewusi, and A. Oyebade, "An Improved Classification Model for Fake News Detection in Social Media," International Journal of Information Technology and Computer Science, vol. 12, no. 1, pp. 34–43, Feb. 2020, doi: 10.5815/ijitcs.2020.01.05.
- [34] Institute of Electrical and Electronics Engineers, Proceedings of the 2020 International Conference on Advances in Computing & Communication Engineering (ICACCE-2020): 22-24 June 2020, Las Vegas, Nevada, United States.
- [35] Institute of Electrical and Electronics Engineers, ISCAIE 2020 : IEEE 10th Symposium on Computer Applications and Industrial Electronics : Malaysia, 18-19 April 2020.
- [36] P. M. Konkobo, R. Zhang, S. Huang, T. T. Minoungou, J. A. Ouedraogo, and L. Li, "A Deep Learning Model for Early Detection of Fake News on Social Media*," in Proceedings of 2020 7th IEEE International Conference on Behavioural and Social Computing, BESC 2020, Institute of Electrical and Electronics Engineers Inc., Nov. 2020. doi: 10.1109/BESC51023.2020.9348311.
- [37] M. Weiss and G. Spanakis, "Fake News Detection on Twitter Using Propagation Structures," pp. 138–158, 2020, doi: 10.1007/978-3-030-61841.
- [38] V. Sabeeh, M. Zohdy, A. Mollah, and R. Al Bashaireh, "Fake News Detection on Social Media using Deep learning and Semantic Knowledge Sources." [Online]. Available: https://sites.google.com/site/ijcsis/
- [39] T. Chauhan and H. Palivela, "Optimization and improvement of fake news detection using deep learning approaches for societal benefit," International Journal of Information Management Data Insights, vol. 1, no. 2, Nov. 2021, doi: 10.1016/j.jjimei.2021.100051.
- [40] S. Hakak, M. Alazab, S. Khan, T. R. Gadekallu, P. K. R. Maddikunta, and W. Z. Khan, "An ensemble machine learning approach through effective feature extraction to classify fake news," Future Generation Computer Systems, vol. 117, pp. 47–58, Apr. 2021, doi: 10.1016/j.future.2020.11.022.

- [41] R. K. Kaliyar, A. Goswami, and P. Narang, "FakeBERT: Fake news detection in social media with a BERT-based deep learning approach," Multimed Tools Appl, vol. 80, no. 8, pp. 11765–11788, Mar. 2021, doi: 10.1007/s11042-020-10183-2.
- [42] Z. Khanam, B. N. Alwasel, H. Sirafi, and M. Rashid, "Fake News Detection Using Machine Learning Approaches," IOP Conf Ser Mater Sci Eng, vol. 1099, no. 1, p. 012040, Mar. 2021, doi: 10.1088/1757-899x/1099/1/012040.
- [43] A. Nagaraja, K. N. Soumya, P. Naik, A. Sinha, and J. V. Rajendrakumar, "Fake news detection using machine learning methods," in ACM International Conference Proceeding Series, Association for Computing Machinery, Apr. 2021, pp. 185–192. doi: 10.1145/3460620.3460753.
- [44] S. Ni, J. Li, and H. Y. Kao, "MVAN: Multi-View Attention Networks for Fake News Detection on Social Media," *IEEE Access*, vol. 9, pp. 106907–106917, 2021, doi: 10.1109/ACCESS.2021.3100245.
- [45] R. K. Kaliyar, A. Goswami, and P. Narang, "EchoFakeD: improving fake news detection in social media with an efficient deep neural network," Neural Comput Appl, vol. 33, no. 14, pp. 8597–8613, Jul. 2021, doi: 10.1007/s00521-020-05611-1.
- [46] A. Nistor and E. Zadobrischi, "The Influence of Fake News on Social Media: Analysis and Verification of Web Content during the COVID-19 Pandemic by Advanced Machine Learning Methods and Natural Language Processing," Sustainability (Switzerland), vol. 14, no. 17, Sep. 2022, doi: 10.3390/su141710466.
- [47] N. Seddari, A. Derhab, M. Belaoued, W. Halboob, J. Al-Muhtadi, and A. Bouras, "A Hybrid Linguistic and Knowledge-Based Analysis Approach for Fake News Detection on Social Media," IEEE Access, vol. 10, pp. 62097–62109, 2022, doi: 10.1109/ACCESS.2022.3181184.
- [48] Y. Tashtoush, B. Alrababah, O. Darwish, M. Maabreh, and N. Alsaedi, "A Deep Learning Framework for Detection of COVID-19 Fake News on Social Media Platforms," Data (Basel), vol. 7, no. 5, May 2022, doi: 10.3390/data7050065.
- [49] P. N. Vasist and M. P. Sebastian, "Tackling the infodemic during a pandemic: A comparative study on algorithms to deal with thematically heterogeneous fake news," International Journal of Information Management Data Insights, vol. 2, no. 2, Nov. 2022, doi: 10.1016/j.jjimei.2022.100133.
- [50] A. John and S. Journals, "Fake News Detection Using N-Gram Analysis and Machine Learning Algorithms," 2022, doi: 10.37591/JoMCCMN.
- O. Stitini, S. Kaloun, and O. Bencharef, "Towards the Detection of Fake News [51] on Social Networks Contributing to the Improvement of Trust and Transparency in Recommendation Systems: Trends and Challenges," Information (Switzerland), vol. 13, 3. Mar. 2022. no. doi: 10.3390/info13030128.
- [52] L. Dinu, E. C. Fusu, and D. Gifu, "Veracity Analysis of Romanian Fake News," in Procedia Computer Science, Elsevier B.V., 2023, pp. 3303–3312. doi: 10.1016/j.procs.2023.10.324.
- [53] J. Jing, H. Wu, J. Sun, X. Fang, and H. Zhang, "Multimodal fake news detection via progressive fusion networks," Inf Process Manag, vol. 60, no. 1, Jan. 2023, doi: 10.1016/j.ipm.2022.103120.

- [54] C. Mallick, S. Mishra, and M. R. Senapati, "A cooperative deep learning model for fake news detection in online social networks," J Ambient Intell Humaniz Comput, vol. 14, no. 4, pp. 4451–4460, Apr. 2023, doi: 10.1007/s12652-023-04562-4.
- [55] R. Mohawesh, X. Liu, H. M. Arini, Y. Wu, and H. Yin, "Semantic graph based topic modelling framework for multilingual fake news detection," AI Open, vol. 4, pp. 33–41, Jan. 2023, doi: 10.1016/j.aiopen.2023.08.004.
- [56] A. Kumari Shalini, D. Saxena, and B. Suresh Kumar, "International Journal of INTELLIGENT SYSTEMS AND APPLICATIONS IN ENGINEERING Designing A Model for Fake News Detection in Social Media Using Machine Learning Techniques." [Online]. Available: www.ijisae.org
- [57] L. Syed, A. Alsaeedi, L. A. Alhuri, and H. R. Aljohani, "Hybrid weakly supervised learning with deep learning technique for detection of fake news from cyber propaganda," Array, vol. 19, Sep. 2023, doi: 10.1016/j.array.2023.100309.
- [58] N. Zhang and J. Liu, "Fake Financial News Detection with Deep Learning: Evidence from China," in Procedia Computer Science, Elsevier B.V., 2023, pp. 154–160. doi: 10.1016/j.procs.2023.07.022.
- [59] S. Biradar, S. Saumya, and A. Chauhan, "Combating the infodemic: COVID-19 induced fake news recognition in social media networks," Complex and Intelligent Systems, vol. 9, no. 3, pp. 2879–2891, Jun. 2023, doi: 10.1007/s40747-022-00672-2.
- [60] X. Fang et al., "NSEP: Early fake news detection via news semantic environment perception," Inf Process Manag, vol. 61, no. 2, Mar. 2024, doi: 10.1016/j.ipm.2023.103594.
- [61] M. Sudhakar and K. P. Kaliyamurthie, "Detection of fake news from social media using support vector machine learning algorithms," Measurement: Sensors, vol. 32, p. 101028, Apr. 2024, doi: 10.1016/j.measen.2024.101028.